Classification for Drug related problems

 $V9.00^{\mathrm{m}}$

© 2003-2019 Pharmaceutical Care Network Europe Association

This classification can freely be used in Pharmaceutical Care Research and practice, as long as the PCNE association is informed of its use and results of validations. The classification is available both as a Word document and a PDF document.

Contact: drp@pcne.org

This classification should be referred to as 'The PCNE Classification V 9.0' With some adaptations, this version is backwards compatible with version 8.

Introduction

During the working conference of the Pharmaceutical Care Network Europe in January 1999, a classification scheme was constructed for drug related problems (DRPs). The classification is part of a total set of instruments. The set consists of the classification scheme, reporting forms and cases for training or validation. The classification system is validated and adapted regularly. The current version is V9.0, which has been developed during an expert workshop in February 2019. It is backwards compatible with V8 (with some adaptations), but not with versions before V8 because a number of major sections have been revised.

The classification is for use in research into the nature, prevalence, and incidence of DRPs and also as a process indicator in experimental studies of Pharmaceutical Care outcomes. It is also meant to help health care professionals to document DRP-information in the pharmaceutical care process. Throughout the classification the word 'drug' is used, where others might use the term 'medicine'. The hierarchical classification is based upon similar work in the field, but it differs from existing systems because it separates the problems from the causes. Quality experts will recognise that most of the causes are often named 'Medication Errors' by others.

The following official PCNE-DRP definition is the basis for the classification:

A Drug-Related Problem is an event or circumstance involving drug therapy that actually or potentially interferes with desired health outcomes.

The basic classification now has 3 primary domains for problems, 9 primary domains for causes and 5 primary domains for Interventions.

However, on a more detailed level there are 7 grouped sub domains for problems, 43 grouped sub domains for causes and 17 grouped sub domains for interventions, and 10 subdomains for intervention acceptance. Those sub-domains can be seen as explanatory for the principal domains.

In 2003 a scale has been added to indicate if or to what extend the problem has been solved, containing 4 primary domains and 7 sub domains.

J.W.Foppe van Mil/ Nejc Horvat / Tommy Westerlund Zuidlaren, June 2019

The basic classification

	Code	Primary domains
D 11	V9.0	TD 4 60 4
Problems	P1	Treatment effectiveness
(also potential)		There is a (potential) problem with the (lack of) effect of
	Da	the pharmacotherapy
	P2	Treatment safety
	Da	Patient suffers, or could suffer, from an adverse drug event
	P3	Other
Causes	C1	Drug selection
(including possible causes		The cause of the DRP can be related to the selection of the
for potential problems)	C/2	drug
	C2	Drug form
		The cause of the DRP is related to the selection of the drug
	G 2	form
	C3	Dose selection
		The cause of the DRP can be related to the selection of the
	G4	dosage schedule
	C4	Treatment duration
	O.5	The cause of the DRP is related to the duration of treatment
	C5	Dispensing The Color DDD to the data desired to the color of the colo
		The cause of the DRP can be related to the logistics of the
	06	prescribing and dispensing process
	C6	Drug use process
		The cause of the DRP is related to the way the patient gets
		the drug administered by a health professional or carer, in
	C7	spite of proper instructions (on the label)
	C/	Patient related The cause of the DBB can be related to the nations and his
		The cause of the DRP can be related to the patient and his
	C8	behaviour (intentional or non-intentional) Patient transfer related
	Co	The cause of the DRP can be related to the transfer of
		patients between primary, secondary and tertiary care, or transfer within one care institution.
	C9	Other
Dlamad Interventions		No intervention
Planned Interventions	I0	
	I1	At prescriber level
	I2	At days level
	I3 I4	At drug level Other
Intervention Assetted		
Intervention Acceptance	A1	Intervention accepted
	A2	Intervention not accepted
C4.4 C4L. DDD	A3	Other
Status of the DRP	00	Problem status unknown
	01	Problem solved
	02	Problem partially solved
	O3	Problem not solved

The Problems

Primary Domain	Code V9.0	Problem
1.Treatment effectiveness There is a (potential) problem with the (lack of) effect of the pharmacotherapy	P1.1 P1.2 P1.3	No effect of drug treatment Effect of drug treatment not optimal Untreated symptoms or indication
2. Treatment safety Patient suffers, or could suffer, from an adverse drug event. N.B. If there is no specific cause, skip Causes coding.	P2.1	Adverse drug event (possibly) occurring
3. Other	P3.1 P3.2 P3.3	Problem with cost-effectiveness of the treatment Unnecessary drug-treatment Unclear problem/complaint. Further clarification necessary (please use as escape only)
	Poten	tial Problem
	Mani	fest Problem

The Causes (including possible causes for potential problems)

[N.B. One problem can have more causes]

	Primary Domain	Code	Cause
		V9.0	Catalo
	1 Drug soloction	C1.1	Inappropriate drug according to guidelines/formulary
	1. Drug selection The cause of the (potential)	C1.1	
	DRP is related to the selection	C1.2	Inappropriate drug (within guidelines but otherwise contra-
	of the drug (by patient or	C1 2	indicated)
	health professional)	C1.3	No indication for drug
		C1.4	Inappropriate combination of drugs, or drugs and herbal
			medications, or drugs and dietary supplements
6i0		C1.5	Inappropriate duplication of therapeutic group or active
ec			ingredient
sel		C1.6	No or incomplete drug treatment in spite of existing
5.0			indication
		C1.7	Too many drugs prescribed for indication
& drug selection	2. Drug form	C2.1	Inappropriate drug form (for this patient)
00	The cause of the DRP is		
	related to the selection of the		
Prescribing	drug form	~ .	
CL	3. Dose selection	C3.1	Drug dose too low
Ges	The cause of the DRP is related to the selection of the	C3.2	Drug dose too high
Б	dose or dosage	C3.3	Dosage regimen not frequent enough
	asse of assage	C3.4	Dosage regimen too frequent
		C3.5	Dose timing instructions wrong, unclear or missing
	4. Treatment duration	C4.1	Duration of treatment too short
	The cause of the DRP is	C4.2	Duration of treatment too long
	related to the duration of		•
	treatment	OF 1	D 7 11 (711
	5. Dispensing The cause of the DRP is	C5.1	Prescribed drug not available
Disp	related to the logistics of the	C5.2	Necessary information not provided
	prescribing and dispensing	C5.3	Wrong drug, strength or dosage advised (OTC)
	process	C5.4	Wrong drug or strength dispensed
	6. Drug use process	C6.1	Inappropriate timing of administration or dosing intervals
	The cause of the DRP is	C6.2	Drug under-administered
	related to the way the patient	C6.3	Drug over-administered
	gets the drug administered by	C6.4	Drug not administered at all
	a health professional or other carer, despite proper dosage	C6.5	Wrong drug administered
	instructions (on label/list)	C6.6	Drug administered via wrong route
	7. Patient related	C7.1	Patient uses/takes less drug than prescribed or does not
	The cause of the DRP is	C/.1	take the drug at all
۵	related to the patient and his	C7.2	Patient uses/takes more drug than prescribed
Use	behaviour (intentional or non-	C7.2	Patient abuses drug (unregulated overuse)
	intentional)	C7.3	
			Patient uses unnecessary drug
		C7.5	Patient takes food that interacts
		C7.6	Patient stores drug inappropriately
		C7.7	Inappropriate timing or dosing intervals
		C7.8	Patient administers/uses the drug in a wrong way
		C7.9	Patient unable to use drug/form as directed
		C7.10	Patient unable to understand instructions properly

Seamles	8. Patient transfer related The cause of the DRP can be related to the transfer of patients between primary, secondary and tertiary care, or transfer within one care institution.	C8.2 C8.3	No medication reconciliation at patient transfer. No updated medication list available. Discharge/transfer information about medication incomplete or missing Insufficient clinical information about the patient. Patient has not received necessary medication at discharge from hospital or clinic.
	9. Other	C9.2	No or inappropriate outcome monitoring (incl. TDM) Other cause; specify No obvious cause

The Planned Interventions

N.B. One problem can lead to more interventions

Primary Domain	Code	Intervention
	V9.0	
No intervention	I0.1	No Intervention
1. At prescriber level	I1.1	Prescriber informed only
	I1.2	Prescriber asked for information
	I1.3	Intervention proposed to prescriber
	I1.4	Intervention discussed with prescriber
2. At patient level	I2.1	Patient (drug) counselling
	I2.2	Written information provided (only)
	I2.3	Patient referred to prescriber
	I2.4	Spoken to family member/caregiver
3. At drug level	I3.1	Drug changed to
	I3.2	Dosage changed to
	I3.3	Formulation changed to
	I3.4	Instructions for use changed to
	I3.5	Drug paused or stopped
	I3.6	Drug started
4. Other intervention or	I4.1	Other intervention (specify)
activity	I4.2	Side effect reported to authorities

Acceptance of the Intervention proposals

N.B. One status of acceptance per intervention proposal

Primary domain	Code	Implementation
	9.0	
1. Intervention accepted	A1.1	Intervention accepted and fully implemented
(by prescriber or patient)	A1.2	Intervention accepted, partially implemented
	A1.3	Intervention accepted but not implemented
	A1.4	Intervention accepted, implementation unknown
2. Intervention not	A2.1	Intervention not accepted: not feasible
accepted	A2.2	Intervention not accepted: no agreement
(by prescriber or patient)	A2.3	Intervention not accepted: other reason (specify)
	A2.4	Intervention not accepted: unknown reason
3. Other (no information on	A3.1	Intervention proposed, acceptance unknown
acceptance)	A3.2	Intervention not proposed

Status of the DRP

N.B. This domain depicts the outcome of the intervention. One problem (or the combination of interventions) can only lead to one level of solving the problem

Primary Domain	Code	Outcome of intervention
	V9.0	
0. Not known	O0.1	Problem status unknown
1. Solved	01.1	Problem totally solved
2. Partially solved	02.1	Problem partially solved
3. Not solved	03.1	Problem not solved, lack of cooperation of patient
	O3.2	Problem not solved, lack of cooperation of prescriber
	03.3	Problem not solved, intervention not effective
	03.4	No need or possibility to solve problem

PCNE Classification for Drug related problems Help

V9.0

© 2003-2019 Pharmaceutical Care Network Europe Association
This classification can freely be used in Pharmaceutical Care Research and practice, as long as the Foundation is informed of its use and results of validations. The classification is available both as a Word document and a PDF document.

Contact: info@pcne.org

This help document is related to as 'Help to the PCNE Classification V9.0

Finding or selecting codes in the PCNE classification

A Drug-Related Problem is an event or circumstance involving drug therapy that actually or potentially interferes with desired health outcomes.

For the use of the PCNE classification it is important to separate the real (or potential) problem (that affects or is going to affect the outcome) from its cause(s). Often drug-related problems (DRPs) are caused by a certain type of error e.g. prescribing errors or drug-use or administration errors. But there might be no error at all involved. Also, a medication error does not necessarily have to lead to a drug-related problem, there can be no problem or the problem is potential. The cause is usually the behaviour that has caused (or will cause) the problem, and most often that is a medication error. A cause or a combination of causes and a problem together, will usually lead to one or more interventions.

The classification can be used in two ways, depending on the level of information needed.

If only the main domains are used, there is in general enough information for research purposes. If the system is used for documenting pharmaceutical care activities in practice, the sub domains can be useful.

N.B. The word 'drug' is equivalent to 'medicine' in the context of this classification.

Problem section

Basically, the problem is defined as 'the expected or unexpected event or circumstance that is, or might be wrong, in therapy with drugs'. (the P-codes)

There are 3 major domains in the problem section. The following descriptions could help to find the right problem domain:

The clinical effect of the drug treatment is not as expected or there is no treatment	See P1
The patient suffers from an ADR at normal dose or from a toxic reaction	See P2
Nothing seems wrong in the treatment, but there is another problem related to the	See P3
medicines in use	

Causes section

Each (potential) problem has a cause. The cause is the action (or lack of action) that leads up to the occurrence of a potential or real problem. There may be more (potential) causes for a problem. (The C-code)

The cause of the DRP is related to the selection of the drug	See C1
The cause of the DRP is related to the selection of the drug form	See C2
The cause of the DRP is related to the selection of a dose or dosage schedule	See C3
The cause of the DRP is related to the duration of the therapy	See C4
The cause of the DRP is related to the logistics of the prescribing or dispensing	See C5
process	

The cause of the DRP is related to the way the patient gets the drug administered by	See C6
a health professional or carer, despite proper dosage instructions (on the label).	
(principally used for hospital or home-care by caregivers)	
The cause of the DRP is related to the personality or the behaviour of the patient	See C7
The cause of the DRP is related to the transfer of a patient between settings or	See C8
departments (seamless care issues)	
There is another cause for the problems, not mentioned before.	See C9

Planned Intervention section

The problem will usually lead to one or more in interventions to correct the cause of the problem. (The I-code)

There is or can be no intervention	See I0
Intervention through the prescriber	See I1
Intervention through the patient, his carers or relatives	See I2
Intervention directly by changing drug or indicating change in drug use	See I3
Other intervention	See I4

Level of acceptance of intervention proposals

In this section you can indicate if the suggestion for the intervention to patient or prescriber has been accepted.

Intervention accepted (by prescriber or patient)	
Intervention not accepted (by prescriber or patient)	See A2
No intervention proposed or acceptance unknown (no information)	See A3

Status of the DRP

Previously called Outcome', this section can be used to document if a problem has been solved. For evaluation purposes it is desirable to indicate if the problem has been solved by a specific intervention (the I-code), that has been not, partially or fully accepted by the prescriber and patient (the A code).

Problem totally solved	See O1
Problem partially solved	See O2
Problem not solved	See O3