DRP-Registration Form V9.1 (PCNE Classification)

one form per problem

Age	of patient:		☐ Male	☐ Fer	male			
Patie	ent identifier:							
Nam	e of medication :					□ отс		
	n active substance: . - <i>Code(s))</i>		🖵 Ne	W	☐ Refill			
Nº o	f drugs taken:	☐ According to pation ☐ According to med	on record					
Prob	lem discovered	by patientby pharmacistby physician		Date:/				
Desc	ription & comment	s:	Time spent on evaluation and intervention:min.					
Date evaluation of outcome:/				Problem solvedProblem partially solvedProblem not solvedOutcome unknown				
	TYPE OF PROBLEM (please classify only ONE problem and indicate if the problem is potential or manifest)) Potential problem Manifest problem							
		-	•					
	P1. Treatment effe No effect of drug tr use	reatment despite correct		P3 Others Unnecessary dr	ug-treat	ment		
	Effect of drug treat	ment not optimal		Unclear problen clarification neconly)		aint. Further please use as escape		
	Untreated sympton	ms or indication						
	P2. Treatment safe	ety						
	Adverse drug even	t (possibly) occurring						

CAUSE OF DRP (max. 3 boxes to be ticked)

	C1. Drug selection		C6. Drug use process
	Inappropriate drug according to guidelines/formulary		Inappropriate timing of administration or dosing intervals by a health professional
	No indication for drug		Drug under-administered by a health professional
	 Inappropriate combination of drugs, or drugs and herbal medications, or drugs and dietary supplements 		Drug over-administered by a health professional
	Inappropriate duplication of therapeutic group or active ingredient		Drug not administered at all by a health professional
	No or incomplete drug treatment in spite of existing indication		Wrong drug administered by a health professional
	Too many different drugs/active ingredients prescribed for indication		Drug administered via wrong route by a health professional
	C2. Drug form		C7. Patient related
	Inappropriate drug form/formulation (for this patient)		Patient intentionally uses/takes less drug than prescribed or does not take the drug at all for whatever reason
			Patient uses/takes more drug than prescribed
	C3. Dose selection		Patient abuses drug (unregulated overuse)
	Drug dose too low		Patient decides to use unnecessary drug
	Drug dose of a single active ingredient too high		Patient takes food that interacts
	Dosage regimen not frequent enough		Patient stores drug inappropriately
	Dosage regimen too frequent		Inappropriate timing or dosing intervals
	Dose timing instructions wrong, unclear or missing		Patient unintentionally administers/uses the drug in a wrong way
			Patient physically unable to use drug/form as directed
	C4. Treatment duration		Patient unable to understand instructions properly
	Duration of treatment too short		
	Duration of treatment too long		C8. Patient transfer related
			Medication reconciliation problem
	C5. Dispensing		
	Prescribed drug not available		C9. Other
	Necessary information not provided or incorrect advice provided		No or inappropriate outcome monitoring (incl. TDM)
	Wrong drug, strength or dosage advised		Other cause; specify
\Box	Wrong drug or strength dispensed		No obvious cause

PLANNED INTERVENTION (Max. 3 boxes to be ticked)

] IO. No intervention		13. At drug level					
			Drug changed to					
	I1. At prescriber level		Dosage changed to					
	Prescriber informed only		Formulation changed to					
	Prescriber asked for information		Instructions for use changed to					
	Intervention proposed to prescriber							
	Intervention discussed with prescriber		Drug paused or stopped					
			Drug started					
	I2. At patient level							
	Patient (drug) counselling		14. Other intervention or activity					
	Written information provided (only)		Other intervention (specify)					
	Patient referred to prescriber							
u	Spoken to family member/caregiver		Side effect reported to authorities					
	ACCEPTANCE OF THE INTERVENTIO	N PF	ROPOSALS (Tick one box only)					
	A1. Intervention accepted		A2. Intervention not accepted					
	Intervention accepted and fully implemented		Intervention not accepted: not feasible					
	Intervention accepted, partially implemented		Intervention not accepted: no agreement					
	•		Intervention not accepted: other reason					
	implemented		(specify)					
	Intervention accepted, implementation unknown		Intervention not accepted: unknown reason					
			A3. Other					
			Intervention proposed, acceptance unknown					
			Intervention not proposed					
STATUS OF THE DRP (outcome of intervention) (Tick one box only)								
Date assessed:/								
	O0. Problem status unknown		O3. Problem NOT solved					
			Lack of cooperation of patient					
	O1. Problem totally solved		Lack of cooperation of prescriber					
\Box			Intervention not effective					
J	O2. Problem Partially solved	Ц	No need or possibility to solve problem					

INSTRUCTIONS FOR COMPLETING THE DRP (DRUG-RELATED PROBLEM) REGISTRATION FORM.

- 1. Use only one form for each drug-related problem you detect.
- 2. You may indicate more than one cause for a particular drug-related problem (max 3).
- 3. You may indicate more than one intervention made per drug-related problem (max 3).
- 4. If the patient's age is not known, please estimate the age within a 3 year range.
- 5. The drug(s) involved in the drug-related problem are entered under the 'Name of medication' section.
- 6. If the ATC-code of the drug is not known, please enter the main active substance or approved /generic name of the medicine.
- 7. R_x relates to a prescribed drug, and OTC relates to products purchased without prescription.
- 8. Complete the section 'New' and 'Refill' only if the medicine involved is a prescribed medicine.
- 9. The 'Number of drugs prescribed' refers to the number of different prescription drugs and OTC drugs taken by the patient, according to the patient medication profile or according to the patient.
- 10. If the patient initiates the discussion of the (potential) drug-related problem, tick the 'by patient' box in the 'Problem discovered:' section.
 If the (potential) drug-related problem is discovered by a member of the Pharmacy staff, tick the 'by pharmacy' box in the 'Problem discovered:' section.
 If the physician has found a (potential) problem, tick the 'by physician' box in the 'Problem discovered:' section.
- 11. Use the basic classification or the full classification for marking the codes. It is not a good idea to mix the two types without a good reason.
- 12. The 'Time spent on intervention' is the time spent actively involved in dealing with the drugrelated problem. This includes time from the identification of the (potential) problem, time spent in discussion with the patient, with any other health care professional, obtaining information and final communication with the patient about the resolution of the drugrelated problem.