

	Type 1	Type 2A	Type 2B	Type 3
Establish relations & inform				
Patient	N.A.	Inform	N.A. ???	Inform
GP	Inform	Inform + agreement	Inform + contract	Inform + contract
Other health care professionals, carers	?	?	Inform + agree	Inform+ agree
Authorities/Society	X	X	X	X
Patient selection & invitation				
Selection	Pharmacist/institution	Patient/pharmacist	Physician/pharmacist	Physician and pharmacist
Invitation	N.A.	Letter-Telephone (verbal/written)	N.A.	Letter-Telephone (verbal/written)
Data collection				
Pharmacy record	X	X	X	X
Medical records + lab data			X	X
Patient		X		X
The review				

DDI, duplication	X	X	X	X
Explicit criteria	X	X	X	X
Implicit criteria, therapeutic guidelines and standards (START, Amsterdam tool etc.)		Partly	X	X
Dose check	Incomplete	Incomplete	X	X
Match indication with drug	(Derived indication partly)	Incomplete	X	X
Contraindication	Age, gender		X	X
Adherence	(Repeats)	X	(Repeats)	X
Seek additional info				
Patient		X		X
Physician, other professionals			X	X
Complete & format results				
	List, prioritization, score warnings	Structured table with issues + solutions	Prioritization, working sheet for pharmacists	Structured letter with list of medications, doses and indications + findings, evidence and recommendations

Discussing results				
Discuss with prescriber	Inform only	If needed/wanted by GP	Report, way based on urgency/other preferences: Team meeting/face-to-face, e-mail, phone, patient record	
Discuss with patient	N.A.	Phone call, referral to GP if needed, counselling if changes Written medication plan	Inform: Face-to-face/ phone call/e-mail, can be done by nurse/caregiver/prescriber	Explain report, appointment if possible/needed
Discuss with nurse, care givers etc.		N.A.	Inform: Face-to-face, phone call, e-mail	
Etc.				
				Follow-up review after XXX days